

viscount  
*Classical*  
organs



**Regent 469**





Regent 469





### Principal Features

- 4 x 61-note tracker touch keyboards with touch sensitivity for orchestral voices
- 32-note radiating and concave pedalboard
- 69 speaking stops with hundreds of alternatives from internal memory bank
- Illuminated rocker tabs
- 4 preset organ styles – English, Baroque, Romantic and Symphonic
- 4 adjustable User styles
- 18 alternative temperaments
- Tremulants fully adjustable for speed and depth

### Playing Aids

- Swell, Choir and Solo expression pedals
- Crescendo pedal programmable over 16 steps
- 10 General pistons duplicated by toe pistons
- 16 capture memories
- 6 thumb pistons to Swell, Great, Choir and Solo
- 6 toe pistons to Pedal
- Gt/Ped, Sw/Ped, Ch/Ped, So/Pd, Sw/Gt, Ch/Gt, Sw/Ch, So/Gt reversible thumb pistons
- Gt/Ped, Sw/Ped, Sw/Gt reversible toe pistons
- Tutti and 32' Pedal reed reverser toe pistons
- Gt and Ped combinations coupled
- 2 sequencer previous and next pistons
- Gt/Ch keyboard inversion
- Transposer with –6/+5 semitone range

### Display and Software Features

- Backlit display with 8 control buttons to access all organ Styles and set-up features
- Fully upgradable software platform via USB socket
- Record and Playback using USB or Internal Memory

### Dimensions and Finishes

- Dark, Medium or Light oak wood veneer console with solid wooden roll top cover
- Illuminated music desk
- 178 cm (W) x 140 cm (H) x 88cm (D), 118 cm (with pedalboard)
- Weight – 332 kg

### Audio System and Sound Management

- 13 internal speakers split across 7 channels
- 6 x 60 watt and 1 x 100 watt amplifiers
- Stop-by-stop selection of simulated wind chest layout
- Stop-by-stop and divisional volume controls
- Stop-by-stop tonal adjustment using 6 voicing parameters
- Internal 5-band graphic equaliser
- Fully adjustable reverberation with live acoustic selection
- Stereo headphone output socket
- External outputs for up to 21 independent audio channels

## How Does Physis Work?

Viscount Physis instruments have been made possible by the vastly increased power of current microprocessor technology. Unlike sampled-sound solutions commonly used in digital organs and still available in our Cadet Series instruments, the Physis model is interactive and constantly makes small and subtle changes to the sound depending on the number of stops drawn and the number of notes being played. These small changes also occur in a real pipe organ although it is a characteristic that most pipe organ builders try to reduce to a minimum. These small variations make the pipe organ unique, and the Physis model has been able to accurately reproduce this magic ingredient that is missing from sampled-sound instruments.



The end result is that a Physis organ sounds dramatically more exciting and life-like. This is especially noticeable when the instrument is played in a small environment and on its internal speakers.

Because Physis technology is software based, instruments can benefit from improvements as they are developed. These include the availability of new voice models and the addition of even more detail into existing voice models to allow greater flexibility of individual stop voicing.

## Management of the Instrument

A comprehensive range of instrument management is available to the player without the need for a computer link up. The features are controlled through a display that can be readily seen at the console.

TUNING	SET-UP
VOICES	UTIL. & MIDI
STYLES	FILE MANAG.
EQUAL	ENGLISH
ENSEMBLE 1	P.COMB GT+P
AIRPRESS --	KINV NO
A: 440.00 HZ	TRANSP --

*Initial instrument display*

From the above picture you can see that the instrument is set to Equal temperament with A at 440 Hz and with the English voice setting. The Pedal and Great piston functions have been combined and the instrument has not been set to transpose. Other sections of the display allow you to enter and reset these parameters as well as other features on the instrument.




The organ has 4 factory-fixed organ styles that cannot be changed. These are English, Baroque, Symphonic and Romantic, which has a strong French flavour. Each of these four styles is copied into a fully accessible part of the memory where all the voices and features can then be changed by the musician, as required, to create a completely personal organ configuration. The 4 fixed styles ensure that it is always possible to return quickly to a perfectly balanced instrument as set up by the factory if any personal editing generates an unwelcome result.



## Alternative Stop Voices

The most versatile and perhaps commonly used function in our Regent organs is the ability to change stop voices for others inside the huge internal library. The picture below shows the display that controls the voice selection, and you can see a short part of the list of alternative voices that in this case are available to replace the Open Diapason 16. The voice to be changed is shown at the top of the image and the alternatives are listed below.



The list extends beyond the screen to upwards of 20 alternative voices for each stop. These can be viewed by scrolling through the list. The new voice is selected at the push of a single button. This feature, which is unique to Viscount Physis instruments, allows the musician to set up a totally custom-voiced instrument based on the library of over 1000 individual stops stored in the memory.



## Individual Stop Voicing

Having selected your preferred stop voice you are additionally able then to voice each rank for a number of parameters, just as would be possible in a real pipe organ. These include:


- Character (pipe width)
- Air Noise
- Harmonic Noise
- Attack
- Release Detune
- Relative Tuning of Strings
- Bass Attenuation Curve
- Treble Attenuation Curve
- Individual Rank Volume

Opdiap 8IA	
Character	-1
Air Noise	+1
Harm Noise	-3
Attack	2
Release DET.	1

All of these features can be locked with a security code to prevent accidental adjustment. On occasions when more detailed adjustments are required, including on a note by note basis, these can be made by connecting a computer via the USB port located under the keyboard shelf.

## Wind Chest Layout

In a real pipe organ the individual pipes sit on a box known as the wind chest. Each pipe creates a note and these notes sound from a different position in the instrument governed by the position of the pipe on the box. Pipes are nearly always set in fixed patterns. You will see arrays with tall pipes in the centre and small pipes to the sides and vice versa. This spacing of the pipes creates an extra dimension to the organ sound which all Regent and Envoy organs can reproduce.




*Single cusp sound distribution*

The above picture shows the wind chest layout for a particular stop. In this case the sound for the Double Diapason 16 is being spread across 4 speakers with the lowest notes in the centre of the array and the highest notes towards the outside. This particular arrangement is known as a cusp and this is shown on the display.



The technology allows many alternative wind chest layouts to be created and the picture below shows a double cusp where the stop is distributed across 4 speakers.



*Double cusp sound distribution*

The above features are available for both internal and external speaker systems. When used exclusively on internal speakers we also employ an additional feature called Smart Sound distribution that ensures that combinations of notes that would normally 'fight' against each other, can never be routed to the same speaker. These unique features together with the remarkable sophistication of the Physis physical model, combine to create an instrument which faithfully reproduces the truly living sound of a traditional organ, that the ear never tires of listening to.



## Keyboard Options

Our keyboards are available in a range of shapes, sizes and weights. Since the feel of each keyboard and its action are important to the control of the instrument, we select only the finest components to ensure the touch is consistent, comfortable and rewarding to play.

The Viscount standard keyboards are all constructed with a simulated tracker touch and we always recommend a solid filled key that has its own weight and inertia. We also offer wood filled keyboards that would be found on a traditional pipe organ.

Viscount has also developed a tracker type response to key speed in their physical models. When this is enabled, the starting transient is influenced by the speed that the key is activated, just as you would hear on a pipe organ.



Viscount standard black and cream resin keyboards



Fatar standard wood-veneered, reverse-colour, baroque-style keyboards



Fatar style TP60LR white and black plastic keyboards



Fatar style TP60LW solid wood filled cream and ebony keyboards



## English Specification

Pedal (13 Stops)		Choir (14 Stops)		Great (15 Stops)		Swell (17 Stops)		Solo (10 Stops)	
Double Diapason	32	Quintaton	16	Double Diapason	16	Lieblich Bourdon	16	Contra Viole	16
Open Wood	16	Open Diapason	8	Open Diapason I	8	Geigen Diapason	8	Harmonic Flute	8
Open Metal	16	Gedackt	8	Open Diapason II	8	Lieblich Gedackt	8	Viole d'Orchestre	8
Bourdon	16	Dulciana	8	Claribel Flute	8	Salicional	8	Viole Celeste	8
Violone	16	Unda Maris	8	Stopped Diapason	8	Voix Celeste	8	Viole Octaviante	4
Principal	8	Principal	4	Principal	4	Geigen Principal	4	Concert Flute	4
Bass Flute	8	Stopped Flute	4	Harmonic Flute	4	Dulcet	4	Piccolo	2
Fifteenth	4	Nazard	2 2/3	Twelfth	2 2/3	Wald Flute	4	Corno di Bassetto	8
Mixture	IV	Flageolet	2	Fifteenth	2	Fifteenth	2	Orchestral Oboe	8
Contra Bombarde	32	Tierce	1 3/5	Mixture	IV	Sesquialtera	II	Tuba	8
Trombone	16	Piccolo	1	Sharp Mixture	III	Mixture	IV		
Bassoon	16	Mixture	III	Grand Cornet	V	Contra Fagotto	16		
Trumpet	8	Cromorne	8	Double Trumpet	16	Trumpet	8		
		Trumpet Major	8	Trumpet	8	Cornopean	8		
				Clarion	4	Vox Humana	8		
						Oboe	8		
						Clarion	4		
Great to Pedal		Tremulant		Tremulant		Tremulant		Tremulant	
Swell to Pedal		Swell to Choir		Swell to Great		Solo to Swell			
Choir to Pedal		Solo to Choir		Choir to Great					
Solo to Pedal				Solo to Great					





## Romantic Specification


Pedal (13 Stops)	Choir (14 Stops)	Great (15 Stops)	Swell (17 Stops)	Solo (10 Stops)
Double Diapason	32 Quintaton	16 Double Diapason	16 Lieblich Bourdon	16 Contra Viole
Open Wood	16 Open Diapason	8 Open Diapason I	8 Geigen Diapason	8 Harmonic Flute
Open Metal	16 Gedackt	8 Open Diapason II	8 Lieblich Gedackt	8 Viole d'Orchestre
Bourdon	16 Dulciana	8 Claribel Flute	8 Salicional	8 Viole Celeste
Violone	16 Unda Maris	8 Stopped Diapason	8 Voix Celeste	8 Viole Octaviant
Principal	8 Principal	4 Principal	4 Geigen Principal	4 Concert Flute
Bass Flute	8 Stopped Flute	4 Harmonic Flute	4 Dulcet	4 Piccolo
Fifteenth	4 Nazard	2 2/3 Twelfth	2 2/3 Wald Flute	4 Corno di Bassetto
Mixture	IV Flageolet	2 Fifteenth	2 Fifteenth	2 Orchestral Oboe
Contra Bombarde	32 Tierce	1 3/5 Mixture	IV Sesquialtera	II Tuba
Trombone	16 Piccolo	1 Sharp Mixture	III Mixture	IV
Bassoon	16 Mixture	III Grand Cornet	V Contra Fagotto	16
Trumpet	8 Cromorne	8 Double Trumpet	16 Trumpet	8
	Trumpet Major	8 Trumpet	8 Cornopean	8
		Clarion	4 Vox Humana	8
			Oboe	8
			Clarion	4
Great to Pedal	Tremulant	Tremulant	Tremulant	Tremulant
Swell to Pedal	Swell to Choir	Swell to Great	Solo to Swell	
Choir to Pedal	Solo to Choir	Choir to Great		
Solo to Pedal		Solo to Great		



## Baroque Specification

Pedal (13 Stops)		Choir (14 Stops)		Great (15 Stops)		Swell (17 Stops)		Solo (10 Stops)	
Untersatz	32	Quintadene	16	Principal	16	Bourdon	16	Contra Gamba	16
Principal Bass	16	Principal	8	Principal	8	Bourdon	8	Concert Flute	8
Subbass	16	Flöte	8	Corno Di Camo	8	Flauto Traverse	8	Viole d'Orchestre	8
Gedackt	16	Dulciana	8	Gedackt	8	Salicional	8	Viole Celeste	8
Violone	16	Unda Maris	8	Hohflöte	8	Voix Celeste	8	Viole Octaviant	4
Gedackt	8	Ocktave	4	Octave	4	Prestant	4	Concert Flute	4
Octav Bass	8	Offenflöte	4	Spitzflöte	4	Flute Octavin	4	Piccolo	2
Choral Bass	4	Sesquialtera	2 2/3	Quinte	2 2/3	Wald Flöte	4	Corno di Bassetto	8
Mixture	IV	Doublette	2	Super Octave	2	Piccolo Harmonique	2	Orchestral Oboe	8
Contra Bombarde	32	Larigot	1 3/5	Mixture	IV	Plein Jeux	II	Bombarde	8
Posaune	16	Siffflöte	1	Kornett	III	Tierce	IV		
Fagott	16	Cymbal	III	Grand Cornet	V	Basson	16		
Trompete	8	Regal	8	Contra Trompette	16	Trompette	8		
		Krummhorn	8	Trompette	8	Cornopean	8		
				Trompette	4	Vox Humana	8		
						Hautbois	8		
						Clarion	4		
Great to Pedal		Tremulant		Tremulant		Tremulant		Tremulant	
Swell to Pedal		Swell to Choir		Swell to Great		Solo to Swell			
Choir to Pedal		Solo to Choir		Choir to Great					
Solo to Pedal				Solo to Great					






## Symphonic Specification

Pedal (13 Stops)		Choir (14 Stops)		Great (15 Stops)		Swell (17 Stops)		Solo (10 Stops)	
Contra Violone	32	Quintaton	16	Double Diapason	16	Bourdon	16	Contra Gamba	16
Bourdon	16	Open Diapason	8	1st Diapason	8	Echo Gamba	8	Flauto	8
Open Metal	16	Gedackt	8	2nd Diapason	8	Flauto Traverse	8	Viole de Gamba	8
Sub Bass	16	Dulciana	8	Erzehler	8	Gamba Celeste	8	Viole Celeste	8
Violone	16	Unda Maris	8	Gedackt	8	Chimney Flute	8	Viole Octaviant	4
Octave	8	Principal	4	Principal	4	Horn Diapason	4	Concert Flute	4
Bass Flute	8	Stopped Flute	4	Harmonic Flute	4	Harmonic Flute	4	Piccolo	2
Choral Bass	4	Nazard	2 2/3	Twelfth	2 2/3	Prestant	4	Opheclide	8
Mixture	IV	Flageolet	2	Fifteenth	2	Fifteenth	2	Tuba Major	8
Contra Bombarde	32	Tierce	1 3/5	Mixture	IV	Tierce	II	Clarinet	8
Bombarde	16	Piccolo	1	Sharp Mixture	III	Mixture	IV		
Bassoon	16	Mixture	III	Grand Cornet	V	Fagotto	16		
Trumpet	8	Cromorne	8	Double Trumpet	16	Trumpet	8		
		Trumpet Major	8	Trumpet	8	Cornopean	8		
				Clarion	4	Vox Humana	8		
						Hautbois	8		
						Clarion Harmonique	4		
Great to Pedal		Tremulant		Tremulant		Tremulant		Tremulant	
Swell to Pedal		Swell to Choir		Swell to Great		Solo to Swell			
Choir to Pedal		Solo to Choir		Choir to Great					
Solo to Pedal				Solo to Great					



# viscount *Classical* organs



Viscount Classical Organs Limited

Prestige House, 23 Telford Road, Bicester, Oxfordshire OX26 4LD

Tel: 01869 247 333 | Email: [enquiries@viscountorgans.net](mailto:enquiries@viscountorgans.net) | [www.viscountorgans.net](http://www.viscountorgans.net)